

www.dsi2000.co.kr



PARACHUTE HARDWARE

HOT FORGED & STAMPED

World class parachute hardware





Greetings^o

Daesung Forge has been manufacturing an array of parachute hardware since 1975 and, has been fully committed to enhancing its R&D technology and fulfilling customer satisfaction. That is how our company's name, Daesung Forge is being engraved in our customers' minds. Our efforts and endeavors have borne innovative fruit that displays our 30 year-old industrial know-how and hot forging technology. Our cutting-edge industrial technology, based on these technical skills, has enabled us to produce heavy equipment and industry machinery parts, not to mention our main product lines of parachute fittings.

Our participation in a project named "New Business Development Based on Pre-Order" in 2009 won the certification of authentication from Korean Defense Agency for Technology and Quality.

Daesung Forge was transformed into a corporation in 2012 through "Open-Book Management and Substantial Empowerment", which takes our global enterprise to a whole new level.

Daesung Forge is not satisfied with the status quo and constantly striving to show its innovational evolution. Daesung Forge will fortify its position as a leading company in the world of parachute fittings by acquiring a dominant market share and enhance our core competencies by providing competitive edge products with high quality to meet or exceed customers' expectations, making rigorous efforts for technology development and cultivating exceptional human resources.

In addition, Daesung Forge takes its social impact seriously by implementing sharing and win/win managements. We strongly believe that it is our mission and gratitude for your support contributing to our community with our unmatched values.

History

- 1975. 06** Founded as DAESUNG INDUSTRY Co.
- 2005. 04** ISO9001 certified by DAS CERTIFICATION Ltd.
- 2006. 08** Moved to a newly-built factory in Gyeongsan
Changed our company name into DAESUNG FORGE Co.
- 2009. 12** Acquire certificate from Korea Defense Agency For Technology and Quality
- 2010. 08** Registration of the Parachute Industry Association.
- 2011. 12** Industrial R&D Center certified by Korea Industrial Technology Association
- 2012. 02** INNO-BIZ certified by Small & Medium Business Administration
- 2012. 07** Changed our company name into DAESUNG FORGE Co.,ltd.

Certification



Certificate of
ISO 9001:2008



Certificate of
authentication
from Korea
Defense Agency
For Technology
and Quality



Certificate of
Research Institute



Certificate of
INNO-BIZ




Certificate of Membership
from Parachute Industry
Association

Technology R&D Center

The R&D department of Daesung Forge proactively pours its continual efforts into the technology development through aggressive investment and top-talent procurement to better the future of the parachute fittings and hot forging industries. To be named among top global companies, ceaseless R&D has inarguably been a must-do until now. However, winning global technology wars has become the key component in order to secure the entrepreneurial sustainability under the uncertainty of the economy situation of the world. For the purpose of promptly gearing up for ever-changing managerial environment and nimbly responding to fast-moving global technology changes and trends, our technology R&D center makes productive endeavors to amplify core competencies of manufacturing business in terms of technology, quality, cost and other associated things, meet customers' needs in a timely manner by utilizing our hands-on intellectual assets based on basic researches, applied researches, and accumulated business achievements and develop top quality products in the world of parachute fittings.

Quality Management

Daesung Forge specializes in manufacturing a wide range of parachute fittings with the conviction of providing only top-notch products and services to our customers, so it always makes quality improvement a top priority. To achieve this goal, we are implementing a ISO 9001:2000 quality management system and increasing operational efficiency in conformity with its standardized requirements. We also do our best to accomplish and maintain the requirements listed in the manual of quality management system and carry out the items as described below:



Canopy Release^o

DSF 001

FEMALE FITTING, PARACHUTE CANOPY RELEASE


- DSF 001-1 100681-2
- DSF 001-2 60J4328
- HOT FORGED ALLOY STEEL
- 100% PROOF LOAD TESTED : 5000 LBS (MALE & FEMALE)
- 100% MALE & FEMALE FITTING TEST : 5000 LBS
- 100681-2 : Approximate weight 8.0 ounces
- 60J4328 : Approximate weight 4.0 ounces
- Meets or exceeds PIA-H-7195




• MALE 60J4328 PROOF LOAD TEST




• FEMALE 100681-2 PROOF LOAD TEST




• MALE FITTING RELEASE TEST (LOADING 500LBS)
RELEASE AT 12~19 LBS




• FEMALE 100681-2 PROOF LOAD TEST



• COVER GUARD RELEASE TEST
RELEASE AT 6~12 LBS



• MALE & FEMALE FITTING TEST



• COVER GUARD SPRING DURABILITY TEST

ADAPTERS



DSF 002

Adapter, Harness Strap,
Uneven Slide
Military/Parachute
PS22047-1
PS22047-2

- Stamped Sheet Metal Alloy
- 100% Proof Load Tested 1000 lbs
- Approximate weight 1.0 ounces
- Meets or exceeds PIA-H-7195



DSF 003

Adapter, Reversible,
Quick Fit
Military/Parachute
PS70101-1
PS70101-2
PS70101-3

- Stamped Sheet Metal Alloy
- 100% Proof Load Tested 500 lbs
- 100% Side Load Tested 200 lbs
- Approximate Weight 1.3 ounces
- Meets or exceeds PIA-H-7195



DSF 004

Adapter, Quick Fit,
Reverse side with tensioner &
spring
Military/Parachute
PS70124-1

- Hot Forged Alloy Steel
- 100% Proof Load Tested 2500 lbs
- Approximate weight 4.0 ounces
- Meets or exceeds PIA-H-7195



DSF 005

Adapter, Strap Adjusting
Military/Parachute
PS22014-3

- Hot Forged Alloy Steel
- Thermal Treated
- 100% Proof Load Tested 1000 lbs
- 100% Side Load Tested 1000 lbs
- Approximate weight 1.7 ounces
- Meets or exceeds PIA-H-7195



DSF 006

Adapter, Parachute Harness,
Quick Fit
Military/Parachute
PS22040-1
PS22040-2

- Hot Forged Alloy Steel
- Thermal Treated
- 100% Proof Load Tested 2500 lbs
- 100% Side Load Tested 1000 lbs
- Minimum Tensile Strength 4000 lbs
- Approximate weight 3.1 ounces
- Meets or exceeds PIA-H-7195



DSF 007

Adapter, Quick Fit,
Small Frame
Military/Parachute
PS70114-1

- Hot Forged Alloy Steel
- 100% Proof Load Tested 2500 lbs
- 100% Side Load Tested 1000 lbs
- Minimum Tensile Strength 4000 lbs
- Approximate weight 2.0 ounces
- Meets or exceeds PIA-H-7195



DSF 008

Adapter, Reversible, Quick Fit
Military/parachute
PS22019-1

- Hot Forged Alloy Steel
- 100% proof Load Tested 2500 lbs
- 100% Side Load Tested 1000 lbs
- Minimum Tensile Strength 4000 lbs
- Approximate weight 3.0 ounces
- Meets or exceeds PIA-H-7195

CARGOS



DSF 011

Clevis Riser Air Delivery
Type III
Military/Cargo
PS70086-1

- Hot Forged Cargo Steel
- Thermal Treated
- 100% Proof Load Tested 2000 lbs
- Approximate weight 5.2 ounces
- Meets or exceeds PIA-H-7195



DSF 012

Link Assembly,
Extraction Line, Single,
Type IV
Military/Cargo
11-1-3359

- Alloy Steel
- Phosphate finish
- 100% Proof Load Tested 40000 lbs
- Approximate weight 2 lbs 6 ounces



DSF 014

Alligator Snap

- Alloy Steel
- Approximate weight 4 ounces

D-RINGS



DSF 015

D-Ring,
Parachute Harness
Military/Parachute
PS22046-1
PS22046-2

- Hot Forged Alloy Steel
- 100% Proof Load Tested 5000 lbs
- Minimum Tensile Strength 5000 lbs.
- Approximate weight 3.5 ounces
- Meets or exceeds PIA-H-7195



DSF 016

D-Ring,
Parachute Harness
Military/Parachute
PS22046-3 PS22046-4
Same as DSF-015 with (2).1406 dia.
Holes drilled on center bar 1" apart.

- Hot Forged Alloy Steel
- 100% Proof Load Tested 5000 lbs.
- Minimum Tensile Strength 5000 lbs
- Approximate weight 3.5 ounces
- Meets or exceeds PIA-H-7195



DSF 017

D-Ring, Cargo Restraint
Military/Parachute
PS22046-7
PS22046-8

- Hot Forged Alloy Steel
- 100% Proof Load Tested 5000 lbs
- Minimum Tensile Strength 5000 lbs
- Approximate weight 8.0 ounces
- Meets or exceeds PIA-H-7195



DSF 018

D-Ring, Parachute Harness
Military/Parachute
Same as DSF 015 with
40 degree bend

- Hot Forged Alloy Steel
- 100% Proof Load Tested 5000 lbs
- Minimum Tensile Strength 6000 lbs
- Approximate weight 3.5 ounces
- Meets or exceeds PIA-H-7195

D-RINGS



DSF 019

D-Ring, Parachute Harness
Military/Parachute
11-1-485

- Hot Forged Alloy Steel
- Thermal Treated
- 100% Proof Load Tested 6000 lbs
- Approximate weight 4 ounces
- Meets or exceeds PIA-H-7195



DSF 020

D-Ring, Separable Bar
Military/Parachute
101407

- Hot Forged Alloy Steel
- Thermal Treated
- 100% Proof Load Tested 5000 lbs
- Approximate weight 4 ounces
- Meets or exceeds PIA-H-7195



DSF 022

D-Ring, Replaceable Bar
Military/Parachute
11-1-4232

- Hot Forged Alloy Steel
- Thermal Treated
- Meets or exceeds PIA-H-7195



DSF 024

Lug Assembly
Parachute Harness
Quick Release Connecting
PS27760

- 100% Proof Load Tested 2500 lbs
- Meets or exceeds PIA-H-7195



DSF 025

Style Ring(3 Ring)
Sports Type

DSF 025-1 NO.8 STYLE RING
DSF 025-2 NO.3 STYLE RING
DSF 025-3 NO.4 MINI RING

- Hot Forged Alloy Steel
- Stainless Steel
- 100% Proof Load Tested 2500 lbs












DSF 026

Style Ring(3 Ring)
Military Type

DSF 026-1 NO.10 STYLE RING
DSF 026-2 NO.2 STYLE RING
DSF 026-3 NO.3 STYLE RING










- Hot Forged Alloy Steel
- Stainless Steel
- 100% Proof Load Tested 5000 lbs

HOOKS & SNAPS

	DSF 027 Hook, Snap, Quick Connector Military/Parachute PS22042-1 PS22042-2	<ul style="list-style-type: none"> • Hot Forged Alloy Steel • 100% Proof Load Tested 5000 lbs • Approximate weight 5.8 ounces • Meets or exceeds PIA-H-7195
	DSF 028 Hook, Snap, Parachute Harness Quick Fit Military/Parachute PS22043-1 PS22043-2	<ul style="list-style-type: none"> • Hot Forged Alloy Steel • 100% Proof Load Tested 2500 lbs • Approximate weight 5.8 ounces • Meets or exceeds PIA-H-7195
	DSF 029 Hook, Snap, Assembly, Ejector w/Removable Pin and Roller Military/Parachute 68D37721-3	<ul style="list-style-type: none"> • Hot Forged Alloy Steel • Thermal Treated • 100% Proof Load Tested 2500 lbs • Approximate weight 6 ounces • Meets or exceeds PIA-H-7195
	DSF 030 Hook, Snap, Parachute Harness, Quick Fit Ejector Military/Parachute PS22018-1E	<ul style="list-style-type: none"> • Hot Forged Alloy Steel • Thermal Treated • 100% Proof Load Tested 2500 lbs • Approximate weight 6 ounces • Meets or exceeds PIA-H-7195
	DSF 031 Hook, Snap, Parachute Harness, Military/Parachute PS22044-1 PS22044-2	<ul style="list-style-type: none"> • Hot Forged Alloy Steel • Thermal Treated • 100% Proof Load Tested 2500 lbs • Approximate weight 4.2 ounces • Meets or exceeds PIA-H-7195
	DSF 032 Hook, Snap, Parachute, Harness Quick Fit, Ejector Military/Parachute PS22017-1E	<ul style="list-style-type: none"> • Hot Forged Alloy Steel • Thermal Treated • 100% Proof Load Tested 2500 lbs • Approximate weight 4.0 ounces • Meets or exceeds PIA-H-7195
	DSF 033 Hook, Snap, Parachute, Chest Type Connector Military/Parachute PS70121-1 PS70121-2 Without wings	<ul style="list-style-type: none"> • Hot Forged Alloy Steel • Thermal Treated • 100% Proof Load Tested 5000 lbs • Approximate weight 7.4 ounces • Meets or exceeds PIA-H-7195
	DSF 034 Hook, Snap, Quick Release Military/Parachute PS70099-1 PS70099-2	<ul style="list-style-type: none"> • Hot Forged Alloy Steel • Approximate weight 8.3 ounces • Meets or exceeds PIA-H-7195
	DSF 035 Snap Assembly, Parachute Static Line Military/Parachute PS70120-1	<ul style="list-style-type: none"> • Sheet Steel • 100% Proof Load Tested 1750 lbs • Approximate weight 8.5 ounces • Meets or exceeds PIA-H-7195

LINKS & O-RINGS

	DSF 037	Link Parachute Removable Connector Military/Parachute PS22002-1 PS22002-2	<ul style="list-style-type: none"> • Hot Forged Alloy Steel • 100% Proof Load Tested 3000 lbs • Approximate weight 2.6 ounces • Meets or exceeds PIA-H-7195
	DSF 038	Link Parachute Separable Connector Military/Parachute 52B6660-2	<ul style="list-style-type: none"> • Hot Forged Alloy Steel • 100% Proof Load Tested 6000 lbs • Approximate weight 3.0 ounces • Meets or exceeds PIA-H-7195
	DSF 039	Link Pear Shaped Hoist & Cargo Net, Heavy Duty Military/Parachute	<ul style="list-style-type: none"> • Hot Forged Alloy Steel • Thermal Treated • 100% Proof Load Tested @ 10000 lbs. • Approximate weight 2 pound • Meets or exceeds PIA-H-7195
	DSF 040	Link Solid Connector/Adjuster Military/Parachute PS70108-1 PS70108-2	<ul style="list-style-type: none"> • Hot Forged Alloy Steel • 100% Proof Load Tested 3000 lbs • Minimum Tensile Strength 500 lbs • Approximate weight 2 ounces • Meets or exceeds PIA-H-7195
	DSF 041	Link Lap Safety Belt 1-3/4" Web Slot Military/Parachute 1275-1 44B26454	<ul style="list-style-type: none"> • Hot Forged Alloy Steel • 100% Proof Load Tested 3000 lbs • Approximate weight 2.5 ounces • Meets or exceeds PIA-H-7195
	DSF 042	Link Quick Release 1-3/4" Web Slot Military/Parachute PS70098-1 PS70098-2	<ul style="list-style-type: none"> • Hot Forged Alloy Steel • 100% Proof Load Tested 1500 lbs • Approximate weight 2.8 ounces • Meets or exceeds PIA-H-7195
	DSF 043	Link Quick Release Military/Parachute PS70116	<ul style="list-style-type: none"> • Hot Forged Alloy Steel • 100% Proof Load Tested 2500 lbs • 100% Side Load Tested 1000 lbs • Meets or exceeds PIA-H-7195
	DSF 044	O-Ring Reefing Ring Military/Parachute PS27762	<ul style="list-style-type: none"> • Carbon Steel • Approximate weight 1.0 ounces • Meets or exceeds PIA-H-7195
	DSF 110	Quick Fit Ring DSF 110-1 555-1 DSF 110-2 555-2 (with rectangular friction lock)	<ul style="list-style-type: none"> • Hot Forged Alloy Steel • Approximate weight 4.0 ounces

	DSF 045 V-Ring Parachute Harness Triangle Military/Parachute PS22020-1 PS22020-2	<ul style="list-style-type: none"> • Hot Forged Alloy Steel • 100% Proof Load Tested 2500 lbs • Approximate weight 1.5 ounces • Meets or exceeds PIA-H-7195
	DSF 046 V-Ring Accessory Attaching Ring Military/Parachute PS70123-1	<ul style="list-style-type: none"> • Hot Forged Alloy Steel • 100% Proof Load Tested 500 lbs • Approximate weight 1.5 ounces • Meets or exceeds PIA-H-7195
	DSF 047 V-Ring Adjustable with Tensioner and Spring Military/Parachute PS27765-1	<ul style="list-style-type: none"> • Hot Forged Alloy Steel • 100% Proof Load Tested 2500 lbs • Minimum Tensile Strength 5000lbs • Approximate weight 4.8 ounces • Meets or exceeds PIA-H-7195
	DSF 048 V-Ring Adjustable without Tensioner and Spring Military/Parachute 56B6115	<ul style="list-style-type: none"> • Hot Forged Alloy Steel • 100% Proof Load Tested 2500 lbs • Approximate weight 4.8 ounces • Meets or exceeds PIA-H-7195
	DSF 049 Military/Parachute PS22045-1 PS22045-2	<ul style="list-style-type: none"> • Hot Forged Alloy Steel • 100% Proof Load Tested 2500 lbs • Approximate weight 2.0 ounces • Meets or exceeds PIA-H-7195
	DSF 050 V-Ring Quick Fit, Parachute Harness Military/Parachute PS70113	<ul style="list-style-type: none"> • Hot Forged Alloy Steel • 100% Proof Load Tested 2500 lbs • 100% Side Load Tested 1000 lbs • Meets or exceeds PIA-H-7195
	DSF 051 Knife Release, Cargo Platform Military/Parachute PS27761	<ul style="list-style-type: none"> • Hot Forged Alloy Steel • Thermal Treated • Finish – Phosphate Coating Waxed • Meets or exceeds PIA-H-7195
	DSF 052 Parachute Harness Quick Fit Military/Parachute PS70102-1	<ul style="list-style-type: none"> • Hot Forged Alloy Steel • Thermal Treated • 100% Proof Load Tested 2500 lbs • Approximate weight 4.3 ounces • Meets or exceeds PIA-H-7195
	DSF 111 V-Ring Triangle Reversible Quick Fit Fall Arrest/Safety 59C381	<ul style="list-style-type: none"> • Hot Forged Alloy Steel • 100% Proof Load Tested 2500 lbs • Approximate weight 4.0 ounces • Meets or exceeds PIA-H-7195

RIPCORD HANDLES

	DSF 053	Pin Parachute Ripcord Locking PS70107	<ul style="list-style-type: none"> • Stainless Steel Mil-S-7720 Comp 302 Cond A
	DSF 054	Ripcords, Parachute, Personnel DSF 054-1 PS70112 62C4250 DSF 054-2 Chest Type	<ul style="list-style-type: none"> • Type I Clover-leaf grip • Stainless Steel Aircraft Wire 3/32" Mil-W-5424
	DSF 055	Ripcords, Parachute, Personnel MS70112 62C4252-1(39 7/8") 62C4252-2(41 1/2")	<ul style="list-style-type: none"> • Type II Trapezoidal Grip • Stainless Steel Aircraft Wire 3/32" Mil-W-5424
	DSF 058	Ripcords, Parachute, Sport Mode	
	DSF 059	Ripcords, Parachute, Sport Mode	
	DSF 060	Ripcords, Parachute, Sport Model	
	DSF 061	Yellow Three Ring Release Cable	<ul style="list-style-type: none"> • 7X7 Galvanized aircraft cable With yellow coating to 1/8" dia
	DSF 062	Clamp Assy 60C6004	<ul style="list-style-type: none"> • B-12 & B-20
	DSF 063	Toggle 68B219	

	DSF 064	Stiffener 45A28142	<ul style="list-style-type: none"> • Phenolic Type-Fbm • Mil-P-15035
	DSF 065	Spring, Band, Parachute Container Opening DSF 065-1 46A3154-3(12.5") DSF 065-2 46A3154-2(16.5")	<ul style="list-style-type: none"> • QQ-W-423 • Coil(66) Per Inch
	DSF 066	Pin-Snap Locking Personnel Parachute Static Line 55B6261	<ul style="list-style-type: none"> • Stainless Steel 304-304 • Approximate weight 2 ounces
	DSF 067	Spring-Ripcord Grip Pocket, Parachute DSF 067-1 48A6975 (T-10R) DSF 067-2 48A6935(B-12,B-20)	<ul style="list-style-type: none"> • QQ-W-423 • Coil(24.5) Per Inch
	DSF 068	Cone, Releasing, Parachute Pack DSF 068-1 PS27763-1 DSF 068-2 PS27763-2	<ul style="list-style-type: none"> • PS27763-1 : Brass QQ-B-626 Comp360 1/2 Hard Chromium Plating • PS27763-2 : Stainless Steel QQ-S-764 303SE
	DSF 069	Cone, Releasing, Parachute Pack(Large) 60A113C24-1	<ul style="list-style-type: none"> • Brass QQ-B-626 Comp360 1/2 Hard Chromium Plating
	DSF 070	Eye-Parachute Pack 50A6153	<ul style="list-style-type: none"> • Stainless Steel 304-304 • Approximate weight 1 ounces
	DSF 071	Hook, Band, Parachute Container Opening PS90295 46A3155	<ul style="list-style-type: none"> • QQ-W-423 • Proof Load Tested 25 lbs




RESERVE PARACHUTE HARDWARES

	<p>DSF 072</p> <p>Frame Assembly Chest Type Parachute Pack 42D14626</p> <ul style="list-style-type: none"> • Steel Spring Wire • Approximate weight 5.4 ounces
	<p>DSF 073</p> <p>Frame Pilot Chute 59C22010</p> <ul style="list-style-type: none"> • Steel Spring Wire • Approximate weight 4 ounces
	<p>DSF 075</p> <p>Fastener, Parachute Pack PS70092</p> <ul style="list-style-type: none"> • QQ-B-626 • Chromium Plating
	<p>DSF 076</p> <p>Stiffener 47B3197 (B-12,B-20)</p> <ul style="list-style-type: none"> • Alloy Steel • Approximate weight 5.44 ounces
	<p>DSF 077</p> <p>Stiffener 47D3195 (B-12,B-20)</p> <ul style="list-style-type: none"> • Alloy Steel • Approximate weight 6.4 ounces
	<p>DSF 078</p> <p>Stiffener 50B6864 (B-12,B-20)</p> <ul style="list-style-type: none"> • Sheet Alloy Steel • Approximate weight 0.32 ounces
	<p>DSF 079</p> <p>Stiffener DSF 079-1 62B4012 DSF 079-2 62B4013</p>

GROMMET & WASHER

	DSF 080 Grommet/Washer Parachute Pack PS22048 C1 (15mm)	<ul style="list-style-type: none"> • QQ-B-626 • Chromium Plating
	DSF 081 Grommet/Washer Parachute Pack PS22048 C2 (12mm) PS22048 B2 (12mm) Black	<ul style="list-style-type: none"> • QQ-B-626 • Chromium Plating
	DSF 082 Grommet/Washer Parachute Pack PS20230 BS1 (8mm)	<ul style="list-style-type: none"> • QQ-B-626
	DSF 083 Grommet/Washer Parachute Pack PS20230 BS10 (6mm)	<ul style="list-style-type: none"> • QQ-B-626




ETC HARDWARES

	DSF 084 Spring Pilot Chute 53C7207	<ul style="list-style-type: none"> • Spring(B-12, B-20, BA-22) Pilot
	DSF 085 Spring Pilot Chute 64C21128	<ul style="list-style-type: none"> • Spring(F-4) Assay Pilot Parachute
	DSF 086 Washer 55A6173	

ETC HARDWARES

	DSF 087	O-Ring 51B6740(A-21)	
	DSF 088	Retainer Snap Parachute Lanyard Spring 57B6112	
	DSF 089	Disc 53C6711	
	DSF 112	Adjuster, safety Shoulder Harness Military/Parachute DSF 112-1 PS22007-1 (Without Spring) DSF 112-2 PS22007-2 (With Spring)	<ul style="list-style-type: none"> • Stamped Alloy Steel • Thermal treated • 100% Proof Load Tested 2000 lbs • Approximate weight 3.0 ounces • Meets or exceeds PIA-H-7195

TACTICS & SAFETY HARDWARES

	DSF 090	Stebco Buckle Parachute Manual 4.127	
	DSF 091	Quick Fit Adapter Double Bar	
	DSF 094	Cam Buckle	

**DSF 097**

ST Buckle

DSF 097-1 25MM
DSF 097-2 30MM
DSF 097-3 35MM

**DSF 100**

One Touch Buckle



101-1 / 101-2

DSF 101

One Touch Buckle
Adapter
DSF101-1
DSF101-2

- Stainless Steel
- Click Lock Adjustable Tongue 44mm

**DSF 103**

One Touch Buckle Adapter

- Stainless Steel
- Click Lock Adjustable Tongue 25mm

**DSF 104**

Clasp 25mm with sliding bridge

- Stainless Steel

**DSF 105**

Clasp 25mm with sliding bridge

- Stainless Steel



106-1 / 106-2

DSF 106

Aluminium Steel
Harness-Buckle-Set-Strap
45mm

DSF 106-1
DSF 106-2

**DSF 108**

Stainless Steel
Click Lock Adjustable Tongue
40mm

**DSF 109**

Safety Belt Adapter 50mm

MEMO.

Lined area for notes.



#10-5, IREON-RI, JAIN-MYEON, GYEONGSAN-SI,
GYEONGSANGBUK-DO, KOREA REPUBLIC
Tel. 82+53+856+5893 | Fax. 82+53+854+5897
E-mail. master@dsi2000.co.kr
www.dsi2000.co.kr